


# Constructor

## High flow edition



## Kystdesign Constructor 10 and 11

The Constructor vehicle developed by KYSTDESIGN is a unique construction vehicle designed for carrying and operating large tools and modules.

The Constructor with its exceptional capabilities can efficiently perform a wide range of subsea tasks, including heavy construction support, inspection, and survey operations.

The Constructor can accommodate up to 25 additional hydraulic tooling functions, up to 15 additional survey sensors and 8 camera connectors.

# Specifications

## 10 and 11

<b>Depth Rating</b>	3000 m
<b>Payload</b>	500 kg
<b>Power</b>	220 hp
<b>Dimension</b>	3,2 m x 1,7 m x 1,9 m
<b>Weight</b>	4750 kg
<b>Thrusters</b>	7 x SA380
<b>Manipulators</b>	Atlas PCS Kit V3 Atlas R

### Sensors

<b>Camera</b>	2 x HD Subvis Orca ip 3 x CT3027 WA ip HD, 170deg 1 x Low Light Subvis ROSS, Dome
---------------	---

<b>Navigation/DVL</b>	Nemo, Subsea Navigator INS and DVL, Auto- depth/altitude, Auto heading, Atation keeping
-----------------------	--

<b>Sonar</b>	Sonar, Gemini 720i
--------------	--------------------

### Performance

Bollard Pull FWD/AFT	900 kg
Bollard Pull LATERAL	850 kg
Bollard Pull Vertial UP	800 kg
Bollard Pull Vertical DOWN	900 kg

### Hydraulics

#### Valve Pack No. 1

10x Bi-directional Valves with proportional flow control, each with max flow 8.

#### Valve Pack No. 2

10x Bi-directional Valves with proportional flow control, each with max flow 8 l/min. Pressure on VP controlled by VP No. 3.

#### Valve Pack No. 3

2x Bi-directional Valves with proportional flow and pressure control, each with max flow 32 l/min.

2x Directional Valves with proportional flow and pressure control, each with max flow 150 l/min.

#### Manifolds

Pressure and return manifolds.

1x Pilot opreated high flow valve with max flow 300 l/min.

1x Pilot opreated high flow valve with max flow 300 l/min.

<b>AUX system capacity</b>	260bar, 300l/min
----------------------------	------------------

<b>Power distribution</b>	150 VDC – for V 115VAC 10A 115VAC 10A 48 VDC 10A 24 VDC 10A 12 VDC 10A Tooling interface max power 115VAC 20A
---------------------------	--

# Omega Subsea

## NORWAY

**Bergen**  
Edvard Griegs vei 1  
5058 Bergen

**Stavanger**  
Forusbeen 78  
4033 Stavanger

[omegasubsea.com](http://omegasubsea.com)